

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	dynabook	Logo		
Company name *	Dynabook Europe GmbH			
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany	•• dynabook		
e-mail address				
Internet site *	http://emea.dynabook.com/generic/environmental-management/			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	PORTEGE X30L-K			
Model number *	PCR30E,PCR31E, PCR32E, PCR33E, PCR34E			
Issue date *	2022/February/27			
Intended market *	🗌 Global 🕺 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	PCR30E,PCR31E, PCR32E, PCR33E, PCR34E	Logo	
Issue date *	2022/February/27		● dynabook

Produc	t environmental attributes - Legal requirements F	Require	ment	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\times		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
P1.4"	terphenyl (PCB), 0,005% polychiorinated biphenyl (PCB), 0,005% polychiorinated terphenyl (PCB), 0,005% polychiorinated	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
F 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\boxtimes		
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	http://emea.dynabook.com/generic/environmental-management/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\mathbf{X}		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\square	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	http://emea.dynabook.com/generic/product-conformity			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\bowtie		
	available at (add URL):			
P5	http://emea.dynabook.com/generic/environmental-management/ Product packaging			
P5.1*	Product packaging Product packaging Components do not contain more than 0,01% lead, mercury, cadmium and			
F J. I	hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s			
. 0.2	used (see legal reference).	́ Ш		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\times		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	PCR30E,PCR31E, PCR32E, PCR33E, PCR34E				
Issue date *		2022/February/27	(∙• dyn	abo	ok	
Produc		mental attributes - Market requirements (See General NOTE GN below)	Require	montr	not	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes		net n.a.	
P7	Design		103	TNO 1	n.a.	
	Disasse	mbly, recycling				
P7.1*	Parts that	at have to be treated separately are easily separable	\square			
P7.2*	Plastic n	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			\boxtimes	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\boxtimes	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools	. 🕅			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ		
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service	is available after end of production for: See P15				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: Mg Material type: PC+ABS Material type:				
P7.12		n materials of external electrical cables are PVC free.		\bowtie		
P7.13		n materials of internal electrical cables are PVC free.	\square			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low	\boxtimes			
		as defined in IEC 61249-2-21. (See ⁵ NOTE B2)				
P7.16	Marking				\boxtimes	
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without components): (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
		hemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR(40)</i>	\boxtimes			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i rations above 0,1%: iical name: , CAS #: (See NOTE B4) iical name: , CAS #: " iical name: , CAS #: "	n			
	<u>Alt. 2: </u> Cl	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes	
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	PCR30E,	PCR31E, PCR32E, P	CR33E, PCR34E		Logo			
Issue date *	2022/Feb	ruary/27			Ğ	• dyna	abo	ook
Product environn	nental att	ributes - Market re	equirements (conti	nued)		Require	emei	nt met
Item			•	,		Yes	No	n.a.
	and subst	ance requirements	(continued)					
P7.20* Postconsumer recycled plastic material content is used in the product (See NOTE B6):						\boxtimes		
a) Of to perc or	percentage of total plastic by weight) is %.							
		recycled material is 8. aterial content is used	.12 g. I in the product (See N	OTE B7):				
a) Of t tota or	otal plastic l plastic by	parts' weight > 25 g,		ered; laterial content (calcula	ated as a percentage o	of		
P7.22* Light sou If mercur	rces are fr y is used s		less than 0,1 mg/lamp	num mercury content p	er lamp: mg			
P8 Batteries P8.1* Battery c		mposition: Main ba	tten: Lision					
			litery. LI-ION					
- Linergy (on (See NOTE B8)	s or energy consumpti	one are reported:				
		÷.						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test met		/	
EPS No-load (External power supply plugged in the wall outled disconnected from the p	et but	W	W	0.0536 W	EN 50563			
PTEC * Typical Energy Cons	umption	W	W	W				
Power_in_Off		Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	ENERGY STAR Pro Requirements - Pro Specification for C Version 8.0	oduct		
Power_in_Sleep		Category1: 0.5 W Category2: 0.6 W	Category1: 0.5 W Category2: 0.6 W	Category1: 0.5 W Category2: 0.6 W	ENERGY STAR Pro Requirements - Pro Specification for C Version 8.0	oduct		
Power_in_Long_Idle		Category1: 0.5 W Category2: 0.6 W	Category1: 0.5 W Category2: 0.6 W	Category1: 0.5 W Category2: 0.6 W	ENERGY STAR Pro Requirements - Pro Specification for C Version 8.0	oduct		
Power_in_Short_Idle	Ile Category1: 5.6 W Category2: 5.9 W Category1: 5.5 W Category2: 5.9 W Category1: 5.6 W Category2: 6.0 W ENERGY STAR Program Requirements - Product Specification for Computers Version 8.0							
ETEC * Annual Energy Consumption		Category1: 17.4 kWh/year Category2: 18.6 kWh/year	Category1: 17.3 kWh/year Category2: 18.5 kWh/year	Category1: 17.7 kWh/year Category2: 19.1 kWh/year	ENERGY STAR Program Requirements - Product Specification for Computers Version 8.0			
External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : VI								
Display resolution * :								
Default time to enter energy save mode: AC mode: 10(to Display off), 15(to Sleep) minutes								
P9.2* Informati	on about th	ne energy save function	on is provided with the	product.		\boxtimes		
P9.3 Energy e	fficiency cl	ass (monitors only):						\boxtimes

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

Model number *	PCR30E,PCR31E, PCR32E, PCR33E, PCR34E	Logo	
Issue date *	2022/February/27		•• dynabook

	t environmental	attributes - Market requirements (contin	luea)	Require			
tem				Yes	No	n.a	
P10	Emissions						
D40.4		n – Declared according to ISO 9296 (See NOTE					
P10.1	Mode	Mode description	Statistical upper limit A-weighted sou $L_{WA,c}$ (B)	ind power level,			
			L _{WA,c} (D)				
	Idle	* ISO7779 Idle	* 2.5				
	Operation	* ISO7779 Operation-HDD				X	
	Other mode	ISO7779 ODD (When ODD operates)			ľ	X.	
	Other mode	When cooling fan operates (Fan max.)	5.3		K		
	Measured acco	rding to: 🛛 ISO 7779 🗌 ECMA-74					
	Electromagnet		/ ECIMA-74)				
P10.4		ay meets the requirement for low frequency elec	romagnetic fields of the following volum	itary			
1 10.4	program(s):	ay meets the requirement for low nequency elec	iomagnetic fields of the following volu				
P12		r computing products					
P12.1*		ets the ergonomic requirements of ISO 9241-30	for visual display technologies.			\square	
P12.2*		out device meets the requirements of ISO 9995		——————————————————————————————————————	H		
P13		I documentation					
P13 P13.1*			ht (kg): 0.3715				
1 10.1			jht (kg): 0.0024				
	Product packag	ing material type(s): PE bag wei	ght (kg): 0.016				
	Product packag	ing material type(s): EPE cushion weig	nt (kg): 0.019				
P13.2*	Product plastic	primary packaging is free from PVC.		\boxtimes			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-						
	consumer recov	vered fiber content: 75.6 %					
P13.4*		or user and product documentation (tick box):					
	Electronic 🔀, Paper 🔀, Other 🗌						
P13.5		mplete this item if paper documentation used)					
	User and product documentation on paper media is chlorine-free:						
	ii i co, picase o	peeny.					
	Totally chlorine-	free		\boxtimes			
	Elemental chlor						
	Processed chlo	rine-free		H			
P14	Voluntary prog						
P14 P14.1		ets the requirements of the following voluntary p	rogram(s):				
	ENERGY STAF		ate: 25-Feb-2022 Product cate	aorv: 1.2			
	Eco-label:		ate: Product cate				
	Eco-label:	Criteria version: D	ate: Product cate	egory:			
P15		rmation (See NOTE B10)	the tested was duet firm fi				
P9		mption of computer products; description of	me testea product configuration:				
P7.10		depends on service agreement.	represents only the characteristic of a	model with star	dard		
P9	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy						
		efficiency					
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a model with standard						
		characteristics of models with different configurat					
P7.19	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cable commonly includes R40					40	
	substances.						
		tained in this document is approximate and prov					
	· · · ·	ides this information without warranties of any ki	nd neither expressed nor implied includ	ing but not limite	ed to		
		particular purpose.	linformation in this descent is the	ad to the bast			
		not warrant that the content will be error free. A well a state time of completion, and Dynabool			r		
			, pas do oblicador lo undate such infor				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	